



SDS according to Annex of Commission Regulation (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning REACH.

Version 1.2**Preparation date:** 22 February 2018**Revision date:** 23 July 2018

Section 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Trade name: i-protect new Z

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Restorative and maintenance cleaner for professional use. To be diluted with water prior to use as directed. Uses advised against: None identified.

1.3 Details of the supplier of the safety data sheet

i-team Professional B.V, Hoppenkuil 27 B, 5626 DD EINDHOVEN, The Netherlands,

Contact details local Supplier

Name :
Address :
Telephone number :
Email :

1.4 Emergency telephone number

Emergency telephone number of local supplier (office hours : 8-16) and country local emergency phone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Product is not classified as hazardous according to Regulation EC 1272/2008 (CLP)

Health hazards : not classified as hazardous.

Physicochemical hazards : not classified as hazardous.

Environmental hazards : not classified as hazardous.

The full texts of H phrases are given in Section 16 of SDS.

2.2 Label elements

Label elements according to Regulation EC 1272/2008 (CLP)

Product is not classified as hazardous.

Pictogram : does not occur

Signal word : does not occur

Hazard statements indicating type of danger : does not occur

Precautionary statements indicating conditions of safe use : does not occur

Additional remarks: none.

2.3. Other hazards

This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher, and they are not included in Annex XVII of Regulation (EC) No 1907/2006.

Section 3: Composition / information on ingredients

3.1 Substances Not applicable.

3.2 Mixtures

Disodium metasilicate

Content : < 1,5 %

CAS No: 6834-92-0, EC No : 229-912-9, Index No: 014-010-00-8

ECHA registration No : 01-2119449811-37-XXXX

Classification according to Regulation **EC 1272/2008** (CLP)

Skin Corr. 1B, H314; STOT SE 3, H335;

Met. Corr. 1, H290,

Signal word – Danger

The full texts of H phrases, hazard classes are given in Section 16 of SDS.

Section 4: first aid measures

4.1 Description of first aid measures

General Advice: never give anything by mouth to an unconscious person.

Inhalation : no risk.

Skin contact : no risk.

Eye contact : product does not irritate the eyes, no risk.

Ingestion : no risk.

4.2 Most important symptoms and effects, both acute and delayed

Not known.

4.3 Indication of any immediate medical attention and special treatment needed

No specific indications.

Section 5: firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Fire extinguishing agents should be appropriate to the size of the fire and burning media.

In case of fire, you can use the following extinguishing media: dry chemical, water, foam and carbon dioxide.

Unsuitable extinguishing media: undefined

5.2 Special hazards arising from the substance or mixture

Combustion can result in: mixture is non-combustible.

5.3 Advice for firefighters

Use personal protective equipment, depending on the size of the fire and suitable for burning materials.
Dispose of fire debris and contaminated water in accordance with waste regulations.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid direct contact with eyes. Do not drink, eat or smoke while working.

6.2 Environmental precautions

No special requirements, however do not allow big quantities to enter drains spills, surface water, groundwater.

6.3 Methods and materials for containment and cleaning up

No special requirements.

6.4 Reference to other sections

Dispose of in accordance with the recommendations set out in Section 13
Information regarding personal protective equipment specified in Section 8

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling of the product: use as directed. Do not eat or drink and do not smoke while using mixture.
Detailed information on the use of the product can be found on the label and leaflet.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of reach of unauthorized persons. Store in original containers in a separate storage place. Store at room temperature.

7.3 Specific end use(s)

No information about the applications other than those listed in section 1

Section 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients harmful to health that require monitoring at the workplace and their limits:

- phosphoric acid - WEL-TWA – 1 mg/m³,
WEL-STEL – 2 mg/m³.

8.2 Exposure controls**8.2.1 Appropriate engineering controls**

Not required.

8.2.2 Individual protection measures, such as personal protective equipment

Handle in accordance with good hygiene practice when handling chemicals.

Eye/face protection	: not required.
Skin protection - hand protection	: not required.
Skin protection	: not required.
Respiratory protection	: not required.

8.2.3 Environmental exposure controls

No special requirements.

Section 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

a) Appearance	: colourless, clear liquid.
b) Odour	: none.
c) odour threshold	: no data available.
d) pH-value (temp. 25°C)	: 11,4.
e) Melting / freezing point	: - 22,2°C.
f) Initial boiling point and boiling range	: 100°C.
g) Flash point	: not applicable.
h) Evaporation rate	: no data available.
i) Flammability	: mixture is non-flammable.
j) Upper / lower flammability or upper / lower explosive limit	: not applicable.
k) Vapour pressure [hPa]	: no data available.
l) Vapour density	: no data available.
m) Density, temp. 20°C	: 1,00 g/cm ³
n) Water solubility	: completely miscible.
o) Partition coefficient: n-octanol/water	: no data available.
^n) Autoignition temperature	: not applicable.
q) Decomposition temperature	: no data available.
r) Viscosity [mPa s], temp. 20°C	: no data available.
s) Explosive properties	: not applicable.
t) Oxidising properties	: not applicable.

9.2 Other Information

No data available.

Section 10: Stability and reactivity**10.1 Reactivity**

Under conditions of storage and use as intended - no reactivity.

10.2 Chemical stability

Product is stable under the typical use and storage conditions.

10.3 Possibility of hazardous reactions

Under normal conditions of use, hazardous reactions do not occur.

10.4 Conditions to avoid

No data available. See also section 7.

10.5 Incompatible materials

No dangerous reactions are known with other materials.

10.6 Hazardous decomposition products

Under normal conditions of use no hazardous decomposition products are liberated.
See also Subsection 5.2.

Section 11: Toxicological information

11.1.1 Information on toxicological effects

Acute toxicity: no data available for the preparation

Data on the components**Phosphoric acid**

Acute toxicity:

LD50 (oral, rat) 1530 mg/kg

LC50 (oral, rat) 100 - 1000 mg/kg

LD50 (skin, rabbit) 2740 mg/kg

In contact with the skin and mucous membranes it has a corrosive effect.

Eye contact: it has a corrosive effect.

Exposure of the digestive system - after ingestion has a corrosive effect.

Disodium metasilicate

Acute toxicity:

LD50 (oral, rat) 1152 - 1349 mg/kg

LD50 (inhalation, rat) > 2,06 mg/m³

LD50 (skin, rabbit) > 5000 mg/kg

In contact with the skin it has a corrosive effect.

Eye contact: it has a corrosive effect.

Exposure by inhalation: severe irritant dust.

Exposure of the digestive system - after ingestion has a corrosive effect.

It shows no sensitization to respiratory system or skin.

No mutagenic effect on reproductive cells.

It is not carcinogenic.

Reproductive toxicity:

- reproductive toxicity: NOAEL (rat) > 159 mg/kg/day,

- developmental toxicity: NOAEL (mouse) > 200 mg/kg/day.

Section 12: Ecological information

12.1 Toxicity

Toxicity to the environment: Based on the available data, the classification criteria are not met.

Toxicity to the environment: no data available for the preparation

Data on the components

Disodium metasilicate

LC50 = 210 mg / l - 96h (fish: Brachydanioreio).

EC50 = 1700 mg / l - 48h (crustaceans: Daphnia magna).

EC50 = 207 -> 345.4 mg / l - 72h (aquatic plants, algae: Scenedesmus subspicatus).

12.2 Persistence and degradability

Biodegradability: no data available for the mixture.

Disodium metasilicate: the inorganic substance; soluble silicates, after dilution, undergo rapid depolymerization, particles indistinguishable from natural soluble silica; They combine with ions of Ca, Mg, Fe, Al and others to form insoluble compounds similar to the components of the natural soils.

12.3 Bioaccumulative potential

Not expected to have bioaccumulative potential.

It contains no AOX.

Bioconcentration factor (BCF): no data available

Disodium metasilicate: it has no potential for bioaccumulation - inorganic substance.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

The mixture does not meet the criteria for PBT and vPvB.

12.6 Other adverse effects

No other available information.

Section 13: Sisposal considerations

13.1 Waste treatment methods

Comply with the provisions of the Waste Act and the Act on packaging and packaging waste.

Classification of waste in accordance with the Decree on the catalogue of waste (OJ no. 112, item 1206, 2001 - Polish Law).

Waste Code:

07 06: Wastes from the manufacture, formulation, supply and use of fats, grease, soaps, detergents, disinfectants and cosmetics.

07 06 99: wastes not otherwise specified. Dispose according to local regulations.

Section 14: Transport information

Transport by road (ADR/RID)

14.1 UN number : not applicable.

14.2 UN proper shipping name : not applicable.

14.3 Transport hazard class(es) : not applicable.

14.4 Packing group : not applicable.

- 14.5 Environmental hazards : not applicable.
 14.6 Special precautions for users : not applicable.
 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislations specific for the substance or mixture

- **Regulation (EC) No 1272/2008** of 16 December 2008. on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending **Regulation (EC) No 1907/2006** (OJ EU No L 353 of 31 December 2008) (CLP).
- **Regulation (EC) No 648/2004** of 31 March 2004 on detergents, Acts. EU Laws, 104/1, 04.08.2004.
- **Regulation (EC) No 907/2006** of 20 June 2006 amending Regulation EC No 648/2004 on detergents, in order to adapt Annexes III and VII, Coll. Journal EU L No 168 of 21 June 2006
- **Regulation (EC) 1907/2006** of 18 December 2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing European Chemicals Agency, amending Directive 1999/45/EC and repealing **Regulation (EEC) No 793/93** and **Regulation (EC) No 1488/94** as well as Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (OJ EU L 396 of 30 December 2006, as amended).
- **COMMISSION REGULATION (EU) 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ EU L 132 of 29 May 2015)

Polish legislation:

- The Act of 25 February 2011. on chemical substances and their mixtures (Journal of Laws (PL) No. 63 of 25 February 2011).

Ingredients according to the requirements of Regulation (EC) No. 648/2004 on detergents:

< 5 %: phosphoric acid.

15.2 Chemical Safety Assessment

Has not been made.

SECTION 16: Other information

H-phrases (indicating type of hazard) and hazard class used in Sections 2 and 3 of Safety Data Sheet:

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
Skin Corr. 1B	Skin corrosion (Category 1B).
Met. Corr. 1	Causes corrosion of metals (Category 1).
STOT SE 3	Specific target organ toxicity - single exposure (Category 3). - does not occur

The necessary training.

All persons involved in the sale and use of the product should be trained in hygiene and safe handling and use of chemical mixtures.

The information contained in this data sheet are based on literature data and Internet, raw material safety data sheets and safety data sheets of similar products. The manufacturer is not liable for any damage, loss, damage resulting from misuse of the product or omissions appropriate action.

The above information is based on current state of art and apply to product as it is used. Data concerning this product are presented in order to take into account the security requirements and not to guarantee its special properties.

This product is intended for professional use, detailed information on the use of the product is present on the label and leaflet. Read label before use.

List of abbreviations used in this document:

ADR	European Agreement concerning the international carriage of dangerous goods by road.
AOX	Adsorbable organic halogen compounds.
BCF	Bioconcentration factor.
CAS	Chemical Abstract Service.
CLP	Classification Labelling Packaging - simplified reference to EC Regulation 1272/2008.
ECHA	European Chemical Agency
EN	European Norms.
OECD	Organisation for Economic Co-operation and Development.
PBT	Persistent, bioaccumulative and toxic.
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals - simplified reference to EC Regulation 1907/2006.
vPvB	Substance very persistent and very bioaccumulative.
WEL-TWA	Workplace Exposure Limit – Time Weighted Average, long term exposure limit, 8 hours reference period.
WEL-STEL	Workplace Exposure Limit – Short Term Exposure Limit, 15 minutes reference period.

Changes compared to the previous version:

- .